

Page 1/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2023 Version number 10 Revision: 09.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: JANGRO EXTRACTION CARPET POWDER, 5Kg
- · Article number: BE003-5
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use Cleaning industry
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Carpet cleaning powder
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Jangro Ltd. Parklands 1A, 3rd Floor, Lostock, Bolton, UK, BL6 4SD Jangro Ltd

Europe, 6-9 Trinity Street, Dublin 2, D02 EY47, Ireland

- · Further information obtainable from: Product safety department.
- 1.4 Emergency telephone number: 01204 795 955 / 01 617 7911

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GH303

- · Signal word Danger
- · Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- \cdot Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 09.03.2023 Version number 10 Revision: 09.03.2023

Trade name: JANGRO EXTRACTION CARPET POWDER, 5Kg

	(Co	ntd. of page
· Dangerous compo	nents:	
CAS: 10213-79-3	disodium trioxosilicate pentahydrate	25-50%
EINECS: 229-912-9	♦ Acute Tox. 4, H302	
CAS: 10332-33-9	sodium peroxoborate (containing < 0,1 % (w/w) of particles with an aerodynamic diameter of	2.5-10%
EINECS: 234-390-0	below 50 m)	
	♠ Ox. Sol. 3, H272; ♦ Acute Tox. 4, H302	
· SVHC		
10332-33-9 sodium peroxoborate (containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 m)		
· Regulation (EC) No	648/2004 on detergents / Labelling for contents	
phosphates		30%
oxygen-based bleaching agents		5 - <15%
optical brighteners, p	perfumes ((R)-p-mentha-1,8-diene)	:5%
· Additional information	tion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)

Printing date 09.03.2023 Version number 10 Revision: 09.03.2023

Trade name: JANGRO EXTRACTION CARPET POWDER, 5Kg

(Contd. of page 2)

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic	ph	vsical	and	chemical	pro	perties
----------------------------	----	--------	-----	----------	-----	---------

· General Information

· Appearance:

Form: Powder Colour: White Odour: Lemon

· Odour threshold: Not determined.
 · pH-value at 20 °C: 11.5

· pH-value at 20 °C:
· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

Flash point: Not applicable.Flammability (solid, gas): Not determined.

Decomposition temperature: Not determined.
 Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard

Explosion limits:

Lower: Not determined. Vot determined. Not determined. Vapour pressure: Not applicable.

Density: Not determined.
Relative density Not applicable.
Vapour density Not applicable.
Evaporation rate Not applicable.

Solubility in / Miscibility with water:

er: Soluble.

(Contd. on page 4)

Printing date 09.03.2023 Version number 10 Revision: 09.03.2023

Trade name: JANGRO EXTRACTION CARPET POWDER, 5Kg

	(Contd. of page 3)
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Organic solvents:	0.0 %
Solids content:	98.7 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values	rolovant	for c	rlaccific	ation:

497-19-8 sodium carbonate					
Oral	LD50	4,090 mg/kg (rat)			
	LC50/96 h	300 mg/l (fish)			

- Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

497-19-8 sodium carbonate

EC50/48 h 265 mg/l (daphnia)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

GE

Printing date 09.03.2023 Version number 10 Revision: 09.03.2023

Trade name: JANGRO EXTRACTION CARPET POWDER, 5Kg

(Contd. of page 4)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
 Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, IMDG, IATA	UN3263
14.2 UN proper shipping name ADR IMDG, IATA	3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S (DISODIUM TRIOXOSILICATE) CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (DISODIU
	TRIOXOSILICATE)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances.
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Annex II of Ma and the IBC Code	nrpol Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O. (DISODIUM TRIOXOSILICATE), 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

	•	8				
LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (UK ANNEX XIV)						
	sodium peroxoborate (containing < 0,1 % (v diameter of below 50 m)	(w/w) of particles with an aerodynamic	Sunset date: 2023-05-27			

(Contd. on page 6)

Printing date 09.03.2023 Version number 10 Revision: 09.03.2023

Trade name: JANGRO EXTRACTION CARPET POWDER, 5Kg

(Contd. of page 5)

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to UK REACH

10332-33-9 sodium peroxoborate (containing < 0,1 % (w/w) of particles with an aerodynamic diameter of below 50 m)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PB1: Persistent, Bloaccumulative and Toxic
VPVB: very Persistent and very Bioaccumulative
Ox. Sol. 3: Oxidizing solids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Eye Dam. 1: Serious eye damage/eye irritation – Category 1