

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Trade name: **RINSE N SHINE (Listed NSF A3: n 153305)**
- Article number: 07380004
- UFI: 28W9-T885-0P0P-Q26V
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Life cycle stages PW Widespread use by professional workers
- Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Product category PC35 Washing and cleaning products (including solvent based products)
- Process category  
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.  
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- Environmental release category ERC9a Widespread use of functional fluid (indoor)
- Application of the substance / the mixture Clear rinsing agent/ Wetting agent

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

ZEP ITALIA SRL  
Piazzale Luigi Cadorna, 2  
20123 Milano (MI) - Italy;  
Via Nettunense Km. 25.000  
04011 Aprilia (LT) - Italy  
T: +39.06.926691  
F: +39.06.92747061  
@: tecnico@zepeurope.com  
Sito: www.zep.it

ZEP Industries BV  
Vierlingweg 30  
4612 PN Bergen op Zoom  
The Netherlands  
Tel: (NL) + 31 164 250 100 (B) + 32 2 347 0117  
Fax: (NL) + 31 164 266 710 (B) + 32 2 347 1395  
@: info@zepbenelux.com

Distributed in the UK by:

ZEP UK Ltd  
Tanhouse Lane  
Widnes Cheshire, WA8 0RD  
United Kingdom  
Tel: +44 (0)151 422 1000  
Fax: +44 (0)151 422 1011  
@: info@zep.co.uk  
web: www.zep.co.uk

##### Further information obtainable from:

Customer Service  
NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710  
B: Tel: +32 2 347 0117 Fax: +32 2 347 1395  
IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61  
UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

#### 1.4 Emergency telephone number:

NHS +44 0845 46 47 (England or Wales); +44 08454 24 24 24 (Scotland)  
emergency number (europe): 112

### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008  
Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

Trade name: **RINSE N SHINE (Listed NSF A3: n 153305)**

(Contd. of page 1)

· **Hazard pictograms**

GHS07

· **Signal word** Warning· **Hazard statements**

H319 Causes serious eye irritation.

· **Precautionary statements**P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards** The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

|   |   |        |
|---|---|--------|
| CAS: 5949-29-1<br>EC number: 691-328-9  | citric acid monoyhydrate<br>Eye Irrit. 2, H319  | 10-25% |
| EC number: 940-634-3  | Undecanol, branched and linear, ethoxylated, propoxylated ( $\geq 2.5$ moles EO/PO)<br>Eye Dam. 1, H318<br>Acute Tox. 4, H302 | 5-10%  |
| CAS: 64-17-5<br>EINECS: 200-578-6<br>Index number: 603-002-00-5<br>Reg.nr.: 01-2119457610-43-xxxx | ethanol<br>Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>Specific concentration limit: Eye Irrit. 2; H319: C $\geq$ 50 %        | 5-10%  |
| CAS: 67-63-0<br>EINECS: 200-661-7<br>Index number: 603-117-00-0<br>Reg.nr.: 01-2119457558-25-xxxx | propan-2-ol<br>Flam. Liq. 2, H225<br>Eye Irrit. 2, H319; STOT SE 3, H336  | 1-2.5% |

· **Additional information:**

Ingredients according to Detergents Regulation 648/2004/EC

|   |                 |
|---|-----------------|
| Nonionic surfactants  | $\geq 5$ - <15% |
| Preservation agents (METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE) |                 |

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**· **General information:** Immediately remove any clothing soiled by the product.· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.· **After swallowing:**

If symptoms persist consult doctor.

Do not induce vomiting; call for medical help immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.· **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

EU

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

Trade name: RINSE N SHINE (Listed NSF A3: n 153305)

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions.  
Carbon dioxide  
Dry sand
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.  
Wear self-contained respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Dispose contaminated material as waste according to section 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Keep receptacles tightly sealed.  
Open and handle receptacle with care.  
Prevent formation of aerosols.  
Store in cool, dry place in tightly closed receptacles.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**  
· **Requirements to be met by storerooms and receptacles:** Store in a cool location.  
· **Information about storage in one common storage facility:** Do not store together with alkalis (caustic solutions).  
· **Further information about storage conditions:** Keep receptacle tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · DNELs

#### CAS: 64-17-5 ethanol

|            |   |                                  |
|------------|---|----------------------------------|
| Oral       | DNEL Long term-systemic                   | 87 mg/kg human/day (consumer)    |
| Dermal     | DNEL Long term-systemic                   | 206 mg/kg human/day (consumer)   |
|            |   | 343 mg/kg human/day (worker)     |
| Inhalative | DNEL Long term-systemic mg/m <sup>3</sup> | 114 mg/m <sup>3</sup> (consumer) |
|            |   | 950 mg/m <sup>3</sup> (worker)   |
|            | DNEL Long term local mg/m <sup>3</sup>    | 950 mg/m <sup>3</sup> (consumer) |
|            |   | 1,900 mg/m <sup>3</sup> (worker) |

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

**Trade name: RINSE N SHINE (Listed NSF A3: n 153305)**

(Contd. of page 3)

**CAS: 67-63-0 propan-2-ol**

|            |   |                                 |
|------------|---|---------------------------------|
| Oral       | DNEL Long term-systemic                   | 26 mg/kg human/day (consumer)   |
| Dermal     | DNEL Long term-systemic                   | 319 mg/kg human/day (consumer)  |
|            |   | 888 mg/kg human/day (worker)    |
| Inhalative | DNEL Long term-systemic mg/m <sup>3</sup> | 89 mg/m <sup>3</sup> (consumer) |
|            |   | 500 mg/m <sup>3</sup> (worker)  |

· **PNECs****CAS: 5949-29-1 citric acid monohydrate**

|                                  |             |
|----------------------------------|-------------|
| PNEC Freshwater mg/L             | 0.44 mg/L   |
| PNEC Marinewater mg/L            | 0.044 mg/L  |
| PNEC Freshwater sediment         | 3.46 mg/Kg  |
| PNEC Marine water sediment       | 34.6 mg/Kg  |
| PNEC Soil                        | 33.1 mg/Kg  |
| PNEC Sewage treatment Plant mg/L | >1,000 mg/L |

**CAS: 64-17-5 ethanol**

|                                  |                |
|----------------------------------|----------------|
| PNEC Freshwater mg/L             | 0.96 mg/L (-)  |
| PNEC Marinewater mg/L            | 0.79 mg/L (-)  |
| PNEC Freshwater sediment         | 3.6 mg/Kg (-)  |
| PNEC Marine water sediment       | 2.9 mg/Kg (-)  |
| PNEC Intermittent release        | 2.75 (-)       |
| PNEC Soil                        | 0.63 mg/Kg (-) |
| PNEC Sewage treatment Plant mg/L | 580 mg/L (-)   |

**CAS: 67-63-0 propan-2-ol**

|                            |            |
|----------------------------|------------|
| PNEC Freshwater mg/L       | 140.9 mg/L |
| PNEC Marinewater mg/L      | 140.9 mg/L |
| PNEC Freshwater sediment   | 552 mg/Kg  |
| PNEC Marine water sediment | 552 mg/Kg  |
| PNEC Intermittent release  | 140.9      |
| PNEC Soil                  | 28 mg/Kg   |

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Use suitable respiratory protective device only when aerosol or mist is formed.

Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Plastic gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· **Not suitable are gloves made of the following materials:** Strong material gloves

· **Eye/face protection** Tightly sealed goggles

(Contd. on page 5)

EU

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

Trade name: RINSE N SHINE (Listed NSF A3: n 153305)

(Contd. of page 4)

· **Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

|  |                         |
|--|-------------------------|
| · Physical state   | Fluid                   |
| · Colour:  | Colourless              |
| · Odour:   | Characteristic          |
| · Odour threshold:   | Not determined.         |
| · Melting point/freezing point:                            | Undetermined.           |
| · Boiling point or initial boiling point and boiling range | >103 °C                 |
| · Flammability   | Not applicable.         |
| · Lower and upper explosion limit                          |                         |
| · Lower:   | 2 Vol %                 |
| · Upper:   | 12 Vol %                |
| · Flash point:   | Not applicable.         |
| · Auto-ignition temperature:                               | >200 °C                 |
| · Decomposition temperature:                               | Not determined.         |
| · pH at 20 °C  | 1.6                     |
| · Viscosity:   |                         |
| · Kinematic viscosity at 20 °C                             | 10 s (DIN 53211/4)      |
| · Dynamic:   | Not determined.         |
| · Solubility   |                         |
| · water:   | Fully miscible.         |
| · Partition coefficient n-octanol/water (log value)        | Not determined.         |
| · Vapour pressure at 20 °C:                                | 42 hPa                  |
| · Density and/or relative density                          |                         |
| · Density at 20 °C:  | 1.062 g/cm <sup>3</sup> |
| · Relative density   | Not determined.         |
| · Vapour density   | Not determined.         |

#### · 9.2 Other information

|   |  |
|---|--|
| · Appearance:   |  |
| · Form:   | Fluid  |
| · Important information on protection of health and environment, and on safety. |  |
| · Ignition temperature:   | Product is not selfigniting.                                     |
| · Explosive properties:   | Product does not present an explosion hazard.<br>Not determined. |
| · Solvent content:  |  |
| · Organic solvents:   | 10.5 %   |
| · Swiss VOC:  | 10.50 %  |
| · Solids content:   | 2.0 %  |
| · Change in condition   |  |
| · Evaporation rate  | Not determined.  |

#### · Information with regard to physical hazard classes

|   |      |
|---|------|
| · Explosives  | Void |
| · Flammable gases   | Void |
| · Aerosols  | Void |
| · Oxidising gases   | Void |
| · Gases under pressure  | Void |
| · Flammable liquids   | Void |
| · Flammable solids  | Void |
| · Self-reactive substances and mixtures                                     | Void |
| · Pyrophoric liquids  | Void |
| · Pyrophoric solids   | Void |
| · Self-heating substances and mixtures                                      | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids   | Void |
| · Oxidising solids  | Void |
| · Organic peroxides   | Void |
| · Corrosive to metals   | Void |

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

Trade name: RINSE N SHINE (Listed NSF A3: n 153305)

(Contd. of page 5)

· Desensitised explosives

Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Do not store together with alkalis (caustic solutions).
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

|      |      |             |
|------|------|-------------|
| Oral | LD50 | 5,000 mg/kg |
|------|------|-------------|

CAS: 5949-29-1 citric acid monohydrate

|        |             |   |
|--------|-------------|---|
| Oral   | LD50        | 5,400 mg/kg (Mouse)                       |
|        |             | 3,000 mg/kg (Rat)                         |
| Dermal | LD50        | >2,000 mg/kg (Rat)                        |
|        | LC50/ 24 h  | 1,535 mg/ltr (Daphnia magna (water flea)) |
|        |             | 440 mg/ltr (fish)                         |
|        | LC50 / 48 h | 440 mg/ltr (fish)                         |

CAS: 64-17-5 ethanol

|            |            |                   |
|------------|------------|-------------------|
| Oral       | LD50       | 7,060 mg/kg (Rat) |
| Inhalative | LC50 / 4 h | 20,000 mg/l (Rat) |

CAS: 67-63-0 propan-2-ol

|            |             |  |
|------------|-------------|--|
| Oral       | LD50        | 5,840 mg/kg (Rat)                          |
| Dermal     | LD50        | 13,900 mg/kg (rab)                         |
| Inhalative | LC50 / 4 h  | 46-73 mg/l (Rat)                           |
|            | LC50/ 8 h   | 12,000-19,000 mg/m3 (Rat)                  |
|            | EC50 / 24 h | >1,000 mg/ltr (Daphnia magna (water flea)) |

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

· **12.1 Toxicity**· **Aquatic toxicity:**

CAS: 5949-29-1 citric acid monohydrate

|             |                              |
|-------------|------------------------------|
| LC50 / 96 h | >400 mg/ltr (Leuciscus idus) |
|-------------|------------------------------|

(Contd. on page 7)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

Trade name: **RINSE N SHINE (Listed NSF A3: n 153305)**

(Contd. of page 6)

**CAS: 64-17-5 ethanol**

EC 50 / 48 h 10,800 mg/ltr (Daphnia magna (water flea))

**CAS: 67-63-0 propan-2-ol**

LC50 / 96 h 9,640 mg/ltr (fish)

&gt;1,400 mg/ltr (Lepomus gobbosus (Zonnebaars))

6,550 mg/ltr (Pimephales promelas)

EC 50 / 48 h 2,285-13,299 mg/ltr (Daphnia magna (water flea))

- **12.2 Persistence and degradability** No further relevant information available.
- **Other information:** The product is biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.
- **Water hazard class 1 (German Regulation) (Self-assessment):** slightly hazardous for water
- **Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.**

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations

· **European waste catalogue**

|          |  |
|----------|--|
| 15 00 00 | WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED |
| 15 01 00 | packaging (including separately collected municipal packaging waste)   |
| 15 01 02 | plastic packaging  |
| HP4      | Irritant - skin irritation and eye damage  |

- **Uncleaned packaging:**
- **Recommendation:** Disposal in accordance with administrative provisions

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN number or ID number</b>                                  | Void            |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>14.2 UN proper shipping name</b>                                 | Void            |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>14.3 Transport hazard class(es)</b>                              | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Class</b>  | Void            |
| · <b>14.4 Packing group</b>   | Void            |
| · <b>ADR, IMDG, IATA</b>  | Void            |
| · <b>14.5 Environmental hazards:</b>                                  |                 |
| · <b>Marine pollutant:</b>  | No              |
| · <b>14.6 Special precautions for user</b>                            | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |

(Contd. on page 8)

EU

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

Trade name: **RINSE N SHINE (Listed NSF A3: n 153305)**

(Contd. of page 7)

· UN "Model Regulation": Void

**SECTION 15: Regulatory information**· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Reg. (EC) n. 1272/2008 - CLP;  
Reg. (EC) n. 2020/878 annex II of REACH;  
Dir. 06/08 ADR – RID - IMDG - IATA;  
Dir. 12/18 (Seveso III);  
Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

National regulations - UK:

Regulation (EC) No 1272/2008 (CLP) amended by GB CLP (UK SI 2019/720 as amended).  
REACH Regulation (EC) No 1907/2006, amended by UK REACH (UK SI 2019/758 as amended).  
Health and Safety at Work Act  
The Control of Substances Hazardous to Health (COSHH) Regulations  
UK Waste (Circular Economy) (Amendment) Regulations 2020  
Reg (EC) n. 648/2004 - Detergents

- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H319 Causes serious eye irritation.
- **Precautionary statements**  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**· **Technical instructions (air):**

| Class | Share in % |
|-------|------------|
| NK    | 10.5       |

· **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 9)

EU



## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 11.09.2023

Version: 16 (replaces version 15)

Revision: 11.09.2023

**Trade name: RINSE N SHINE (Listed NSF A3: n 153305)**

(Contd. of page 8)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Classification according to Regulation (EC) No 1272/2008** Expert judgement

· **Department issuing SDS:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Contact:**

Customer Service

NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710

B: Tel: +32 2 347 0117 Fax: +32 2 347 1395

IT: Tel: +39 069 266 91 Fax: +39 06.927 470 61

UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011

· **Date of previous version:** 08.06.2023

· **Version number of previous version:** 15

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

WELL: The highest acceptable concentration

IOELV: Indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**